

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/824,772	04/04/2001	Laure Seguin	205513US2	1507	
22850	7590 04/21/2006		EXAMINER		
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			LY, ANH VU H		
	1940 DUKE STREET ALEXANDRIA, VA 22314			PAPER NUMBER	
	,		2616		
			DATE MAILED: 04/21/200	6	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary		Applic	Application No. Applicant(s)					
		09/82	4,772	SEGUIN, LAURE				
		Exam	iner	Art Unit				
			u H. Ly	2616				
Period fo	The MAILING DATE of this communi or Reply	cation appears on	the cover sheet wi	th the correspondence ac	ldress			
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR CHEVER IS LONGER, FROM THE MANSIONS OF THE MANSIO	AILING DATE OF of 37 CFR 1.136(a). In reunication. tutory period will apply a will, by statute, cause the	THIS COMMUNIC to event, however, may a re and will expire SIX (6) MON' examplication to become AB.	CATION. eply be timely filed THS from the mailing date of this c ANDONED (35 U.S.C. § 133).				
Status								
1) 又	Responsive to communication(s) file	d on <i>01 Februarv</i>	2006.					
	This action is FINAL . 2b) This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)⊠ Claim(s) <u>1-5,7-21 and 23-29</u> is/are pending in the application.								
-	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	5) Claim(s) is/are allowed.							
6)⊠)⊠ Claim(s) <u>1-4,7-10 and 18-20</u> is/are rejected.							
7)🖂	7) Claim(s) <u>1-5,7-21 and 23-29</u> is/are objected to.							
8)	Claim(s) are subject to restrict	tion and/or election	on requirement.	•				
Applicati	on Papers		`					
9)□	The specification is objected to by the	Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
	Replacement drawing sheet(s) including				FR 1.121(d).			
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority ι	ınder 35 U.S.C. § 119	•						
12)	Acknowledgment is made of a claim t	or foreian priority	under 35 U.S.C. &	119(a)-(d) or (f).				
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:								
	1. Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No							
	3. Copies of the certified copies of	of the priority doc	uments have been	received in this National	Stage			
	application from the Internation	nal Bureau (PCT	Rule 17.2(a)).					
* See the attached detailed Office action for a list of the certified copies not received.								
	·	•						
Attachmen	t(s)		•		•			
1) 🛛 Notic	e of References Cited (PTO-892)		4) Interview S	ummary (PTO-413)				
2) D Notic	e of Draftsperson's Patent Drawing Review (P		Paper No(s)/Mail Date	O 452)			
	nation Disclosure Statement(s) (PTO-1449 or I r No(s)/Mail Date	PTO/SB/08)	5) Notice of In	formal Patent Application (PTC 	J- 132)			

Art Unit: 2616

DETAILED ACTION

Response to Amendment

1. This communication is in response to applicant's amendment filed February 01, 2006. Claims 1-5, 7-21, and 23-29 are pending.

Claim Objections

2. Claims 1-5, 7-21, and 23-29 are objected to because of the following informalities:

With respect to claim 1, in line 1, the recitation "for transmitting" is not a positive limitation but only requires the ability to so perform. Therefore, it does not limit a claim to a particular structure or does not limit the scope of a claim or claim limitation.

With respect to claim 2, in line 1, "the first layer" should be changed to --the first sublayer--.

With respect to claim 5, in line 1, the recitation "for transmitting" is not a positive limitation but only requires the ability to so perform. Therefore, it does not limit a claim to a particular structure or does not limit the scope of a claim or claim limitation. Further, in line 15, "the first layer" lacks antecedent basis.

With respect to claims 9 and 10, in line 1, "the first layer" should be changed to --the first sub-layer--.

With respect to claim 12, in line 1, the recitation "for transmitting" is not a positive limitation but only requires the ability to so perform. Therefore, it does not limit a claim to a particular structure or does not limit the scope of a claim or claim limitation. Further, in line 14, "the first layer" should be changed to --the first sub-layer--.

With respect to claims 14, 21, and 26, in line 1, "the first layer" lacks antecedent basis.

Page 3

Art Unit: 2616

Other pending claims are automatically objected to as they depend upon objected independent claims 1, 5, and 12. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 1-4 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand (US Patent No. 6,477.670 B1) in view of Dohi et al (US Patent No. 6,341,224 B1). Hereinafter, referred to as Ahmadvand and Dohi.

With respect to claim 1, Ahmadvand discloses a system for transmitting data over a physical resource (Fig. 3), comprising:

a layer configured to manage the physical resource and to guarantee a quality of service (Fig. 3 and col. 6, lines 13-19 – there are a number of entities inside a QoS plane that can be dynamically reconfigured or fine tuned and optimized to meet specific QoS requirements of a CoS. This includes, segment size, resource assignments, logical channel to transport channel mapping, priorities, etc...), wherein access to the physical resource is divided into transmission time intervals (Fig. 3 illustrates a number of transport channels containing multiplexed RLC PDUs or RLC frames. According to the UMTS network and its specifications, each transport channel has a equal transmission time interval (TTI), which is required by the physical layer for

Art Unit: 2616

sending a block of packets or Transport Block Set from MAC to the physical layer; wherein the number of packets in the Transport Block as well as the size of a Transport Block is governed by the peer-peer RRC connection);

a first sub-layer configured to supply a transmission support in accordance with the quality of service and to segment the data into transmission units (col. 5, lines 53-59 – each QoS plane is configured to handle a CoS and each including D-RLC and C-RLC. D-RLC and C-RLC receive the IP data packets 45, create the RLC PDUs, or RLC frames), the first sub-layer reducing a size of at least one of the transmission units when transmission conditions on the physical resource are degraded (col. 6, lines 58-65 – SCR module of the D-RLC chops the IP packet 46 into smaller size packets, which are more suitable for error recovery and retransmission. These smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, small size packets are used for better error recovery and reduced error rates);

a second sub-layer configured to transmit at least one of the transmission units over the physical resource during each of the transmission time intervals (Fig. 3, MAC layer 80 multiplexed RLC PDUs onto different transport channels for transmitting by the physical layer according to TTIs of the transport channels), the transmission time interval being a periodic time interval during which the second sub-layer is allowed to access the physical resource (According to the UMTS network and its specifications, each transport channel has a equal transmission time interval (TTI), which is required by the physical layer for sending a block of packets or Transport Block Set from MAC to the physical layer); and

Art Unit: 2616

a physical layer configured to perform error correction coding or decoding of the data (col. 4, lines 55-57 – the physical layer of the UMTS radio interface is responsible for coding and modulation of data transmitted over the air, which also responsible for decoding and demodulation in the reverse mode),

Ahmadvand does not disclose assigning a set level to the ratio of received signal power to noise plus interference. Dohi discloses a transmission power control in a mobile communication system by measuring a received SIR (signal to interference plus noise power ratio), comparing the measured SIR to a predetermined target value of SIR (a set level to the ratio of received signal power to noise plus interference) and outputting transmission power control information to an opposing station (col. 2, lines 48-59). Herein, the predetermined target value of SIR relates to the quality of service. It would have been obvious to one having ordinary skill in the art at the time the invention was made to set targeted SIR in Ahmadvand's system, as suggested by Dohi, to achieve a certain quality of service.

With respect to claim 2, Ahmadvand discloses that the layer determines a plurality of sizes of the transmission units for the transmission time intervals (col. 6, lines 13-17 – a number of entities inside a QoS plane that can be dynamically reconfigured or fine tuned and optimized to meet specific QoS requirements of a CoS. This includes, segment size at the SCR module of the RLC. This implies that the segment size is variable and more than one size is available for the transmission units); the second sub-layer selects one of the plurality of sizes according to the transmission conditions (col. 6, lines 58-65 – SCR module of the D-RLC chops the IP packet 46 into smaller size packets, which are more suitable for error recovery and retransmission. Herein,

a packet size is already selected); and the second sub-layer selecting a smaller one of the plurality of sizes when the transmission conditions on the physical resource are degraded (col. 6, lines 58-65 - smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, smaller size packets are used for better error recovery and reduced error rates).

With respect to claim 3, Ahmadvand discloses that wherein the layer (assumed as the first sub-layer) adjusts the size of each of the transmission units according to the transmission conditions and transmits the size adjusted to the second sub-layer (col. 6, lines 58-65 – smaller size packets, forwarded to the MAC layer for multiplexing, may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions).

With respect to claim 4, Ahmadvand discloses that wherein the layer (assumed as the first sub-layer) reduces the size of each of the transmission units when the transmission conditions on the physical resource are degraded (col. 6, lines 58-65 - smaller size packets may be variable and dynamically optimized in different QoS planes based on the QoS requirements and on the radio link conditions. This implies that when the radio link conditions degraded and increased error rates, small size packets are used for better error recovery).

Art Unit: 2616

With respect to claim 8, Ahmadvand discloses a UMTS mobile telephone system using the system of claim 1(Fig. 3).

4. Claims 7 and 18-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand (US Patent No. 6,477,670 B1) and Dohi et al (US Patent No. 6,341,224 B1) further in view of Hwang (US Pub 2004/0057460 A1).

With respect to claims 7 and 18-20, Ahmadvand and Dohi have addressed all limitations recited in independent claim 1. Ahmadvand does not disclose that the layer is configured to retransmit the transmission units if acknowledgement is not received. Hwang discloses that the layer is configured to retransmit the transmission units if acknowledgement is not received (page 4, lines 3-6 – if the RLC 100 detects that there is no acknowledgement on transmission of each PDU, the RLC should multiplex the present PDU, and retransmits the PDU). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of retransmissions when acknowledgments are not received in Ahmadvand's system, as suggested by Hwang, to guarantee that packets are fully received at the receiving end.

5. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmadvand (US Patent No. 6,477,670 B1) and Dohi et al (US Patent No. 6,341,224 B1) further in view of Sarkkinen et al (US Patent No. 6,950,420 B2)). Hereinafter, referred to as Ahmadvand, Dohi, and Sarkkinen.

With respect to claims 9 and 10, Ahmadvand and Dohi have addressed all limitations recited in independent claim 1. Ahmadvand does not disclose that the layer supplies to the second sub-layer the plurality of sizes by means of a table. Sarkkinen discloses that the layer

Application/Control Number: 09/824,772 Page 8

Art Unit: 2616

supplies to the second sub-layer the plurality of sizes by means of a table (col. 6, lines 50-54 - the UTRAN/MAC will obtain a TFC (table) from RRC and will make a TF selection for an upcoming TTI. It will inform the UTRAN/Tr-RLC of the appropriate data block size and data block set size). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include the feature of sending a TFC to second sub-layer or MAC layer in Ahmadvand's system, as suggested by Sarkkinen, to select an appropriate size for the transmission units according to radio link conditions.

Allowable Subject Matter

- 6. Claims 11, 13, 15, 17, 23, 25, 27, and 29 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 7. Claims 5, 12, 14, 16, 21, 24, 26, and 28 contain the allowable subject matter but are objected to for minor informalities. The prior art does not teach or fairly suggest that the size of each of the transmission units is reduced in the case of degradation of the transmission conditions when the transmission power of the transmitter reaches a maximum value, as specified in independent claims 5 and 12.

Response to Arguments

8. Applicant's arguments with respect to claims 1-5, 7-21, and 23-29 have been considered but are most in view of the new ground(s) of rejection.

Conclusion

Art Unit: 2616

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anh-Vu H. Ly whose telephone number is 571-272-3175. The examiner can normally be reached on Monday-Friday 7:00am - 4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chi Pham can be reached on 571-272-3179. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2616

Page 10

Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Information regarding the status of an application may be obtained from the Patent

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avl

CHI PHAM

TECHNICLOGY CENTER ZOTAL